

EXHIBIT 12 (part 3)

model 43







m o d e







m o d e

Get bekind the power of a front-drive Steiner.















center of gravity than the 229, which prestions you comfortably in the middle of










A two turning stower with tera delicleacies,


For those requiring a dedicated mowing machine, the Steiner 202 combi












Θ |

Attachments

Allacered	4 525 DE4	Peri Cassia	Potel 110	11:49 220	Our tractors are capable of
Aertx, spile		•			en teatry (blingts,
Aeritet, corr	,				1
BLA. Str poert trafe	•				All it takes in fire miguies
State of the state		•	•		or less.
Flech, und		*	•		
State, 4-blade		٠	•	•	Versability is as much a part of
Chipper in recom		•	2		
Obs rape		•	•		the Steiner story as superior
Loadic front and					
Mount Incos					engineering or long-term
Money 45" (SEP)		•	,	•	
More, 80" ratary			-		refiability. Using our Quick-
Month 77, radery					
Mower, mitry match.			,		Hitza - Machinella, your
Home, t'n tern	-		•		Steiner becomes camble of
Mores, states mel 4-back, 7-ff	•	•		•	almost any turf or grounds
Money, Olyha mal G-blan, 74"		•			maintenance task within one
Moves, tiples red 9-Maria, 7 C	•	•		•	view respectively. Misser section
Goog Offerns Grank, M				٠	
Power Money		•	٠		so many blencer owners than
Street fr		٠	•		. A fair in the forest and the fair
Entre Monte, 43"	•	•	•	•	מו תוכם מים ומידיים ביי היים
Shopton	*	•			all-ourose mechines.
Serope, Irus	•		•		
Benepat, Sef retary	٠	•	*	-	
Į	•	•			
Ī	٠	•	٠	•	
Further		•	•		
		ŀ			







(c)
27
0

4-3
a
S
£.
S
9
4
S

Characterist					
Serie Will	1142 000	+	tit.	h	5
Over Stereo	AT 1704 cm	2	5	t	21 12
		; 1		1 1	! +
100		•			
Water	4F(113 CM)	Ħ	h	Ŕ	b
	1622.5	,	5	ŗ	E
Market	1523 les (690 kg)	1000 Par ath-cooked	100	TELEVISION CONTRACTOR	1216 Pac (secodes decs)
1	-	these forms the deserter	Com Pite Personne	Creen Print Residents	Ches Print Section
_	23 % to make company	25 Treat contra	I by to come	2) for se-cooled	25 ha ar-chart
		Years Chartery		Terror Devel DATE	
		2) to sales cooled		18.3 he salter couled	
		C. Speed of Sea Married		Tabasa fine metitum	
		2 Established		The section of the	
		A STATE OF THE PARTY OF THE PAR			
	The state of the s		,		
***	1		The second	-	***************************************
10 to		diam'r.	1		
Press es	Annual 2500	Pearlin 250	Permets 2500		Verisis (20)
1	1		Townsel		2
į	O-Street and	G-15 mot hea	100	\$11 ECS. 1888	400
	PAT TIPE IN	4-4 4 Fay It, Some		Derpt in	
	Kentra	Deserve	Reserve		Amerik
	0.57 mpt No	0-53 etch. Not	£ 44		25
	0.25 mpl. bee	0-25 mg/t, thus			
	Hydraude prived Stantig	Hydraule general literal of	Hydrai's power fiething	Perfect print stern	Inches in property in
P.	Dy dix type (frost & rust)	Orydectype	Profession of the second	Inchesia was grad	Oyneric States Brough
					Property and
111					
	111111111111111111111111111111111111111	200 C		7.10(1)	10.101
	ECT N	Lateral Inches Ser type.	Tata Street	Sperger Schre. 3-pp	22 P. T.
	23 4 12 23 4 12	35 a 11 xX 4. Restate		Plant.	and the second
				Appet Art	Calabata Calar
Charles of the Control of the Contro			***************************************		
1		the same	17 call the smallest	22 and bear market	1
3	Stand breeze	200	200	12 note occupati	12 wolf material and 1
A CORD	Daveth			•	
		A suffere 178	Same IS	St. Standard	Teather 15
	and the same of	and it could be	-		
THE BEST THEFT IS	The methods in well in the series				
A see af a si di	The complete and the state of the conference of the contract o	al may many Driver doubt			1117.11
				Szei	Steiner Tari Equipment, like
				2	289 N. Kurzen Rd.
				2	P.O. Best 504
			••••	20	Dalton, Old 44618-0501
				ñ	130-813-0200
				H	Fzz 3308284008
_					





AR-5111: The All-Hydraulic

HR-5111"

4WD Hydraulic Mower



Economical Ditest Power
The Hist Sill is powered by a rulable elliciott, 51-horsepower, liquid-cooled dired crajue. The crajor is fully
prover, liquid-cooled dired crajue. The crajor is fully
prover, liquid-cooled dired crajue. The crajor is the crajor is
pression. A top-mounted, heavy daily all cleaver protect
the crajor from harmful dist and chippings.
The hood silv up end heav for full access to the crajor
The hood silv up end heav for full access to the crajor
The hood silv up end heav for full access to the crajor
The hood silv up end heav for full access to the crajor
The hood silving the cooler alless may from the radiator for
the silving the cooler alless way from the radiator for
good lords, even in husts coordinate.

Nautory deciza, cristers anti-scalp rollers for superior quality cut.

The HR-5111 deliven a productive 11-foot cut to rought, by parts, and other trape but reast. In three she'ptransis or moving decks, four wheel-drive (WON) traction, and a moving decks, four wheel-drive (WON) traction, and a mover to the job.

The HR-5111 in the Part of the HR-5111 in the HR

The Professional's Choice on Turf

The footing-dreat delign, with large conter wheels and anti-step poller, follows interferences the effect of scaliging, Culling heights are adjustable from 1 to 59 inches, degrees weather so relied effect outside man already largest. More with one, how, or all three detas, to mailth enablitions.

The HR 5311 valie, compand delign with hydroitatic transmistions and reached power sterring, means dose transmissions and reached power sterring, means dose transmissions and reached depreciation.


٩

WD High Production Rotary

SPECIFICATIONS

Clapsoff: posts to check hydraulic pressures.
μE













JACOBSENLEXICOL